



WE CALL IT

THREADED ROD

ALLTHREAD

STUDDING

TIE RODS

DIN 976



Product Specification

These products can either have cropped or clean-sawn ends. Intended for use in expansion or contraction joints, a wide range of standard sizes are available for immediate delivery. Available in mill length to 12,000mm/40ft and upto 64mm/2^{1/2} Diameters, before delivery to site, the studding may be cut to Various cut lengths.

Corrosion Protection

Corrosion protection is one of the most important elements in providing long-term durability of any tie rod installation. These are a number of possibilities depending on the site conditions and degree of exposure. Examples of successful corrosion protection currently in use are:

- ELECTRO ZINC PLATEING
- HOT DIPPED SPUN GALVANISING

WE ALSO CUT (IN HOUSE) ANCHOR RESIN STUDS
STRAIGHT CUT / ANGLED 45degree CUT

Available Grades

Grades 4.6-8.8-10.9 and Stainless Steel Grade A2 and A4
We also can offer materials B7, L7 & B8

Available Stocks

SIZES	1 MTR Length	2 MTR Length	3 MTR Length
M8	/	/	/
M10	/	/	/
M12	/	/	/
M14	/	/	/
M16	/	/	/
M18	/	/	/
M20	/	/	/
M22	/	/	/
M24	/	/	/
M27	/	/	/
M30	/	/	/
M33	/	/	/
M36	/	/	/
M39	/	/	/
M42	/	/	/
M45	/	/	/
M48	/	/	/